

List of publications 業績リスト (Tetsuo Ueda 上田哲男)

- Takagi, S., and Ueda, T. (2010) Annihilation and creation of rotating waves by a local light pulse in protoplasmic droplet of the Physarum plasmodium. *Physic*, D, 239, 873–878.
- Baumgarten, W., Ueda, T. and Hauser, M.J.B. (2010) Plasmodial vein networks of a slime mould form regular graphs. (Submitted).
- 上田哲男 (2009) 自己組織化とは何か、ブルーバックス、講談社、都甲、江崎、林、上田、西澤 著
- 上田哲男、高木清二 (2009) 真正粘菌の自己組織化、自己組織化ハンドブック、国武豊喜監修、エヌ・ティー・エス
- Takagi, S., and Ueda, T. (2008) Emergence and transitions of spatiotemporal patterns in thickness oscillation by the plasmodium of the true slime mold *Physarum polycephalum* *Physica*, D, 237, 420–427.
- 上田哲男 (2008) 粘菌は考えて動く、生物の科学 遺伝、62, 96–98.
- Nakagaki, T., Tero, A., Saigura, T., Iima, M., Kobayashi, R., Ueda, T., Nishiura, Y., Showalter, K. (2007) Minimum-risk path finding by an adaptive amoebal network. *Phys. Rev. Lett.*, 99, 068104.
- Takagi, S., Nishiura, Y., Nakagaki, T., Ueda, T., K.-I.Ueda (2007) Indecisive behavior of amoeba crossing an environmental barrier, In “Topological Aspects of Critical Systems and Networks” (ed. K.Yabuko, H.Amitsuka, G.Ishikawa) World Scientific Pub, 86–93.
- 上田哲男 (2007) 生物のパターン形成と情報機能:反応拡散カップリング、「生物物理学ハンドブック」(石渡信一、桐野豊、桂勲、美宅成樹 編) 朝倉書店, 584–586.
- Yan, H., Shiga, H., Ito, E., Nakagaki, T., Takagi, S., Ueda, T., Tsuji, K. (2006) Super water-repellent surfaces with fractal structures and their potential application to biological studies. *Colloids and Surfaces A:Physicochem.Eng. Aspects*, 284–285, 490–494.
- Kakiuchi, Y. and Ueda, T. (2006) Multiple Oscillations in Changing Cell Shape by the Plasmodium of *Physarum polycephalum*: general formula governing oscillatory phenomena by the *Physarum plasmodium*. *Biological Rhythm*, 37, 137–146.
- 上田哲男、高木清二 (2006) 粘菌の行動と形態形成:パターンダイナミクスと情報創発、「プラントバイオテクノロジー植物に学ぶ」株式会社 エヌ・ティー・エス 監修、甲斐 昌一、森川 弘道, 92–99.
- Ueda, T.(2005) An intelligent slime mold: a self-organizing system of cell shape and information. In “Networks of Interacting Machines: production organization in complex industrial systems and biological cells”, eds. D.Armbruster, K.Kaneko, A.Mikhailov. World Scientific Publishing Co, 221–256.
- 上田哲男 (2005) 粘菌のインテリジェンス:巨大アメーバ細胞を活用した計算原理と情報統合機構の研究、化学と生物 43, 445–446.
- Nakagaki, T., Kobayashi, R., Nishiura, Y., and Ueda, T. (2004) Obtaining multiple separate food sources: behavioral intelligence in the *Physarum*. *Proc.R.Soc.Lond.B*, 271, 2305–2310.

- 上田哲男、粘菌細胞の変形:サイズ制御とリズム発現に伴う細胞骨格の構築
in「形の科学事典」、朝倉書店 (2004), 247-249.
- 上田哲男、脳機能と力学系, In 「脳のフィジックス」(長谷川建治・吉岡亨編集)共立出版、13-50.
- Ueda, T.(2002) An intelligent slime mold:self-organizing system of shape and information, The fourth RIES-Hokudai Symposium, Dec.9-11, 2002, Sapporo. Proceedings. Abstract, 24-28.
- 上田哲男(2002) 粘菌に知性はあるか? 生命誌34 www.brh.co.jp/s_library/i_site/scientistweb/no34/index.html
- Kakiuchi, Y., Takahashi, T., Murakami, A. and Ueda, T. (2001) Light irradiation induces fragmentation of the plasmodium, a novel photo-morphogenesis in the true slime mold *Physarum polycephalum*: action spectra and evidence for involvement of the phytochrome. Photochem. Photobiol, 73 (3), 324-329.
- 上田哲男(2001) 粘菌、特にその個体性、「複雑系のバイオフィジックス」、金子邦彦編、共立出版、111-124.
垣内康孝、上田哲男(2001) 粘菌にみる巨大細胞体制の構築、生物物理、41(2), 70-73.
- Nakagaki, T., Yamada, H., and Ueda, T. (2000) Interaction between cell shape and contraction pattern in the *Physarum* plasmodium. Biophys. Chem, 84, 195-204.
- 上田哲男(2000) 生物と情報処理—粘菌を例に—、
バイオミテックス ハンドブック(長田義仁編)、エヌ・ティー・エス、1072-1080.
- Kakiuchi, Y. and Ueda, T. (1999) Fragmentation of the plasmodium into equally sized pieces by low temperatures in the true slime mold *Physarum polycephalum*: a new morphogenesis. Protoplasma, 206, 131-136.
- Nakagaki, T., Yamada, H., and Ueda, T. (1999) Modulation of cellular rhythm and photoavoidance by oscillatory irradiation in the *Physarum* plasmodium. Biophys, Chem, 82, 23-28.
- Ueda, T., Koya, S. and Maruyama, Y. (1999) Dynamic patterns in the locomotion and feeding behaviors by the Placozoan *Trichoplax adhaerens*. BioSystems, 54, 65-70.
- 上田哲男(1999) 真正粘菌における生体リズムと光シグナリング。
「光シグナルransダクション」(蓮沼仰嗣、木村成道、徳永史生編) シュプリンガー・フェアラーク、63-68.
- Koya, S., and Ueda, T. (1998) The onset of rhythmic streaming in the *Physarum* plasmodium: Cooperative hierachic organization of a multi-nucleate cell. ACH Models in Chemistry, 135 (3), 297-304.
- Ueda, T. (1998) Changing shape, size and patterns in the *Physarum* plasmodium. Forma, 13, 405-412.
- 上田哲男、中垣俊之(1997) 細胞に心はあるか—細胞行動の心理生理学の試み—、
「脳と心のバイオフィジックス」(松本修文編著)共立出版、53-67.
- Nakagaki, T. and Ueda, T. (1996) Phase switching of oscillatory contraction in relation to the regulation of amoeboid behavior by the plasmodium of *Physarum polycephalum*. J. Theor. Biol, 179, 261-267.

- Nakagaki, T., Umemura, S., Kakiuchi, Y., and Ueda, T. (1996) Action spectra for sporulation and photobehavior and differential dependence on temperature and starvation in the plasmodium of *Physarum polycephalum*. *Photochem, Photobiol*, 64, 859–862.
- Kakiuchi, Y., and Ueda, T. (1996) Hierarchic organization of multiple oscillations in the contractile activities of the true slime mold *Physarum polycephalum*. In "Circadian Organization and Oscillatory Coupling" eds. K.Honma & S.Honma, Hokkaido University Press, 79–90.
- 上田哲男、中垣俊之(1996) 粘菌行動の自己組織化:Phase Locking と情報制御、「自己組織化」, 都甲潔・松本元編、第4章, 朝倉書店, 86–102.
- 上田哲男(1996) 生命体—粘菌に見る自己組織、「自己組織化の科学」、北森俊行、北村新三 共編、第2章、オーム社, 21–32.
- Ueda, T. (1995) Spatio-temporal dynamics of glycolysis and cellular metabolism: toward in telligence by non-linear chemical processes. *Sensors and Materials*, 7, 1–11.
- Takano, J., Koizumi, H., Ohkawara, A., Kamo, N., and Ueda, T. (1995) Ultraviolet action spectra for peroxide generation in human and pig epidermal keratinocytes loaded with dihydrorhodamine 123. *Arch. Dermatol. Res*, 287, 321–325.
- Shinjyo, T., Nakagawa, Y. and Ueda, T. (1995) Hierarchic spatio-temporal dynamics in glycolysis. *Physica*, D, 84, 212–219.
- 上田哲男 (1995) 非平衡系の熱力学:(1)散逸構造、現代化学 291, 19–25.
- 上田哲男 (1995) 非平衡系の熱力学:(2)振動する解糖反応、現代化学 292, 38–44.
- 上田哲男 (1995) 非平衡系の熱力学:(3)反応拡散カップリングとパターン、現代化学 293, 14–19.
- Ueda, T. and Yamaguchi, T. (1994) Toward intelligent materials. In "Molecular Electronics and Molecular Electronic Devices", ed. by K. Sienicki, CRC Press, 239–251.
- Ueda, T. and Matsumoto, K. (1994) Self-organization and information processing in cell behavior. In "Physics of Living State: Dynamics of Information and Fluctuation in Biological Systems", ed. K. Sawada, T. Musha, T. Kawakubo, H. Shimizu. Ohmusha Ltd, 123–137.
- 上田哲男 (1994) 粘菌細胞の知覚行動:非平衡化学ダイナミクスによるインテリジェンスの自己組織化, 日本機械学会誌 97, 910–913.
- 上田哲男 (1994) 複雑系研究会 物性研究
- 上田哲男 (1994) 数理解析研究所講究録870 Mathematical Topics in Biology、代謝ダイナミクスと細胞インテリジェンス、215–226.
- 上田哲男 (1994) "インテリジェンスの自己組織化原理:粘菌に学ぶ"、北原和夫、田中豊一編、"生命現象と物理学" 第1章、朝倉書店, 2–19.
- Shinjyo,T., Nakagawa, Y., Saitoh, M, Ueda, T.(1993) Pattern dynamics in glycolytic system: possibility of space-time chaos. Technical Report of IEICE, NLP93-5, 33–37.
- Ueda, T. (1993) Pattern dynamics in cellular perception. *Phase Transitions*, 45, 93–104.
- Ueda, T. (1993) Intracellular oscillations and pattern formation in cell behavior by *Physarum*. In "Oscillations and Morphogenesis" ed. L. Rensing, Marcel Dekker, 147–181.

- Ueda, T. (1993) Self-organization of intelligence by non-linear chemical dynamics.
 In "New Functionality Materials, vol.B, Synthesis and Function Control of Biofunctionality Materials.",
 ed. T.Tsuruta, M.Doyama, M.Seno, Y.Imanishi, Elsevier Science Pub. B.V, 117-124.
- 上田哲男 (1993) 細胞の知覚と行動を制御する。日経サイエンス 23, No.7, 32-39.
- Sakurada, H., Koizumi, H., Ohkawara, A., Ueda, T. and Kamo, N. (1992) Use of dihydrorhodamine 123 for detecting intracellular generation of peroxides upon UV irradiation in epithelial keratinocytes.
Arch. Dermatol., 284, 114-116.
- Yasui, C., Koizumi, H., Fukaya, T., Kumakiri, M., Ohkawara, A. and Ueda, T. (1992) Adenylate cyclase induces intracellular calcium increase in single human epidermal keratinocytes measured by fluorescence microscopy using Fura 2-AM. *British J. Dermatol.*, 127, 589-594.
- Koizumi, H., Yasui, C., Fukaya, T., Ohkawara, A., Ueda, T. (1991) Beta-adrenergic stimulation induces intracellular Ca^{2+} increase in human epidermal keratinocytes. *J. Invest. Dermatol.*, 96, 234-237.
- Osawa, Y., Koizumi, H., Fukaya, T., Yasui, C., Hokawara, A. and Ueda, T. (1991). Adenylate cyclase induced changes in intracellular $[\text{Ca}^{2+}]_i$ in single human epidermal keratinocytes of the epidermal sheet measured by the digital imaging microscope using Fura-2-AM. *Arch. Dermatol. Res.*, 283, 91-95.
- Ueda, T. (1991) Oscillations and pattern formation in cell behavior of an amoeboid cell. In "Noise in Physical Systems and 1/f Fluctuations", ed. T. Musha, S.Sato and M.Yamamoto, Ohmsha, Ltd, 669-672.
- 上田哲男 (1991) 自己組織化現象としての細胞の知覚, 病態生理、Vol.10, No.11, 906-913.
- Ueda, T., Nakagaki, T. and Yamada, T. (1990) Dynamic organization of ATP and birefringent fibrils during free locomotion and galvanotaxis in the plasmodium of *Physarum polycephalum*.
J. Cell Biol., 110, 1097-1102.
- Nakagaki, T., Oda, J., Koizumi, H., Fukaya, T., Yasui, C., and Ueda, T. (1990) Ultraviolet action spectrum for intracellular free Ca^{2+} increase in human epidermal keratinocytes. *Cell Struc. Func.*, 15, 175-179.
- Ueda, T. (1990) Photosensory transduction in the slime mold *Physarum polycephalum*.
Trends in Photochem. Photobiol., 1, 25-29.
- Kobatake, Y., Ueda, T. and Matsumoto, K. (1990) Phase wave and perception of amoeboid cells.
 In "Biosensors and Biocomputers", ed. F. Hong, Plenum Press, 223-230.
- Ueda, T., Matsumoto, K. and Kobatake, Y. (1990) Perception in an amoeboid cell.
 In "Molecular and Biological Physics", ed. by K.S. Mishra, Kluwer Academic Publishers,
 Dordrecht, 133-145.
- 上田哲男 (1990) 知覚機能を持つ人工膜システムの開発, 数理科学 329, 74-76.
- 松本健司、上田哲男、小畠 陽之助 (1989) アメーバ様細胞の情報処理機構:細胞内振動子の集団的挙動と情報理論。
 数理科学 308, 53-56.
- 上田哲男 (1989) 真性粘菌と光, ワークショップ「微生物と光」, IGEシリーズ2, 11-18. 東北大学遺伝生態研究センター
- Ueda, T., Mori, Y., Nakagaki, T. and Kobatake, Y. (1988) Changes in cAMP and cGMP concentration, birefringent fibrils and contractile activity accompanying UV and blue light photoavoidance in plasmodia of an albino strain of *Physarum polycephalum*. *Photochem. Photobiol.*, 47, 271-276.

- Matsumoto, K., Ueda, T. and Kobatake, Y. (1988) Reversal of thermotaxis with oscillatory stimulation in the plasmodium of *Physarum polycephalum*. *J. Theor. Biol.*, 131, 175–182.
- Ueda, T., Nakagaki, T. and Kobatake, Y. (1988) Patterns in intracellular ATP distribution and rhythmic contraction in relation to amoeboid locomotion in the plasmodium of *Physarum polycephalum*. *Protoplasma* [suppl. 1], 51–56.
- Ueda, T., Mori, Y., Nakagaki, T. and Kobatake, Y. (1988) Action spectra for superoxide generation and UV and visible light photoavoidance in plasmodia of *Physarum polycephalum*. *Photochem. Photobiol.*, 48, 705–710.
- 上田哲男. (1988) 原生生物に知覚があるか? パリティ. 3, 72–74.
- Ueda, T., Mori, Y. and Kobatake, Y. (1987) Patterns in the distribution of intracellular ATP concentration in relation to coordination of amoeboid cell behaviour in *Physarum polycephalum*. *Exp. Cell Res.*, 169, 191–201.
- Hosokawa, T., Ueda, T. and Kobatake, Y. (1987) Organization of community behavior during initiation of morphogenetic aggregation in a population of *Dictyostelium discoideum* amoebae. *Cell Structure & Function*, 12, 497–502.
- Mori, Y., Ueda, T. and Kobatake, Y. (1987) NAD(P)H oscillation in relation to the rhythmic contraction in the *Physarum* plasmodium. *Protoplasma*, 139, 141–144.
- 上田哲男 (1987) 生体現象の物理化学, (小畠陽之助 編著) 講談社サイエンチфик、6章、9章.
- Ueda, T., Matsumoto, K., Akitaya, T. and Kobatake, Y. (1986) Spatial and temporal organization of intracellular adenine nucleotides and cyclic nucleotides in relation to rhythmic motility in *Physarum* plasmodium. *Exp. Cell Res.*, 162, 486–494.
- Akitaya, T., Ueda, T. and Kobatake, Y. (1986) Variation in intracellular nucleotide and cyclic nucleotide concentrations in relation to induction and commitment to rhythmical sporulation in the myxomycete *Physarum polycephalum*. *Cell Struc. Func.*, 11, 1–7.
- Matsumoto, K., Ueda, T. and Kobatake, Y. (1986) Propagation of phase wave in relation to tactic responses by the plasmodium of *Physarum polycephalum*. *J. Theor. Biol.*, 122, 339–345.
- Mori, Y., Matsumoto, K., Ueda, T. and Kobatake, Y. (1986) Spatio-temporal organization of intracellular ATP content and oscillation patterns in response to blue light by *Physarum polycephalum*. *Protoplasma*, 135, 31–37.
- 上田哲男 (1986) 生体機能における自己触媒作用—振動現象を中心として, 触媒 28, 530–535.
- 上田哲男 (1986) ゆらぎCPU. Trigger 86–10, 33–36.
- 上田哲男 (1986) 細胞の知覚するしくみ—生物情報のダイナミックスをめざして, 表面 24, 465–475.
- Akitaya, T., Ohsaka, S., Ueda, T. and Kobatake, Y. (1985) Oscillations in intracellular ATP, cAMP and cGMP concentration in relation to rhythmical sporulation under continuous light in the myxomycete *Physarum polycephalum*. *J. Gen. Microbiol.*, 131, 195–200.
- Satoh, H., Ueda, T., and Kobatake, Y. (1985) Oscillations in cell shape and size during locomotion and in contractile activities of *Physarum polycephalum*, *Dictyostelium discoideum*, *Amoeba proteus* and macrophages. *Exp. Cell Res.*, 156, 79–90.
- Ueda, T., Hasumoto, M., Akitaya, T., and Kobatake, Y. (1985) Two steady states in membrane potential deflection in relation to chemoreception and chemotaxis by *Physarum polycephalum*. *Protoplasma*, 124, 219–223.

- Ueda, T. and Kobatake, Y. (1985) Oscillation in cell shape and size during locomotion of amoeboid cells. In "Cell Motility: Mechanism and Regulation". ed. H.Ishikawa, S.Hatano, H.Satoh, Yamada Conference X. University of Tokyo Press, 299–307.
- 上田哲男、小畠陽之助 (1985) 細胞レベルにおける機能発現のダイナミックス, 生物物理 25, 91–99.
- Satoh, H., Ueda, T., and Kobatake, Y. (1984) Rhythmic contraction in the plasmodium of the myxomycete *Physarum polycephalum* in relation to the mitochondrial function. *Cell Structure and Function*, 9, 37–44.
- Akitaya, T., Hirose, T., Ueda, T. and Kobatake, Y.(1984) Variation of intracellular cyclic AMP and cyclic GMP following chemical stimulation in relation to contractility in *Physarum polycephalum*. *J. Gen. Microbiol*, 130, 549–556.
- 小畠陽之助、上田哲男(1984) 細胞レベルにおける生命。ヒューマンサイエンス3 (石井、小林、清水、村上編)
中山書店 59–86.
- 上田哲男、小畠陽之助 (1984) エントロピーと生命現象、化学 39, 170–175.
- Ueda, T. and Kobatake, Y. (1983) Quantitative analysis of changes in cell shape of *Amoeba proteus* during locomotion and upon response to salt stimuli. *Exp. Cell Res*, 147, 466–471.
- Ueda, T. and Carlile, M.J. (1983) The genetic basis of differences in cation chemoreception sensitivity in plasmodia of the myxomycete *Physarum polycephalum*. *J. Gen. Microbiol*, 129, 2475–2480.
- Ueda, T. and Kobatake, Y. (1983) Non-linear dynamic process in *Physarum polycephalum*. in "Biological Structures and Coupled Flows", 293–306. ed. Oplatka, A & Balaban, M., Academic Press & Balaban Publishers.
- 上田哲男 (1983) 原生生物の走化性、兼学のための物理化学実習 (小畠陽之助、清水博編)、講談社
- Ueda, T. and Kobatake, Y. (1982) Initiation, development and termination of contraction rhythm in plasmodia of the myxomycete *Physarum polycephalum*. *J. Theor. Biol*, 97, 87–93.
- Satoh, H., Ueda, T. and Kobatake, Y. (1982) Primary oscillator of contractional rhythm in the plasmodium of *Physarum polycephalum*: role of mitochondria. *Cell Structure and Function*, 7, 275–283.
- Hirose, T., Ueda, T. and Kobatake, Y. (1982) Changes in intracellular pH accompanying chemoreception in the plasmodia of *Physarum polycephalum*. *J. Gen. Microbiol*, 128, 2647–2651.
- Ueda, T., Satoh, H. and Kobatake, Y. (1981) The effect of longitudinal tension on the amplitude of the contraction rhythm of plasmodial strands of *Physarum polycephalum*. *Europ. J. Cell Biol*, 25, 212–214.
- Ueda, T. and Kobatake, Y. (1981) Chemotaxis in plasmodia of *Physarum polycephalum*. in "Cell Biology of *Physarum* and *Didymium*", vol.1, 112–141. ed. Aldrich, H.C. and Daniel, J.W., Academic Press, New York.
- Ueda, T. and Carlile, M.J. (1981) Strain differences in sensitivity of cation chemoreception in *Physarum polycephalum* in "Biology of *Physarum*: current problems", 246–250, ed. Leokadia Rakoczy, Jagiellonian University Press, Cracow.
- Ueda, T., Hirose, T., and Kobatake, Y. (1980) Membrane biophysics of chemoreception and taxis in the plasmodium of *Physarum polycephalum*. *Biophys. Chem*, 11, 461–473.

- Ueda, T. and Kobatake, Y. (1980) Contraction rhythm in the plasmodium of *Physarum polycephalum*: Dependence of the period on the amplitude, temperature and chemical environment. *Europ. J. Cell Biol.*, 23, 37-42.
- Hirose, T., Ueda, T. and Kobatake, Y. (1980) Changes in ATP concentration triggered by chemoreception in the plasmodia of the myxomycete *Physarum polycephalum*. *J. Gen. Microbiol.* 121, 175-180.
- Satoh, H., Mito, Y., Ueda, T., Kurihara, K. and Kobatake, Y. (1980) Conversion of positive to negative chemotaxis by Ca ionophore treatment in plamodium of *Physarum polycephalum*. *Biochim. Biophys. Acta*, 633, 436-443.
- Hirose, T., Ueda, T., and Kobatake, Y. (1980) An optical method for monitoring contractile activity in the plamodia of *Physarum polycephalum*. *Cell Structure and Function*, 5, 281-284.
- Ueda, T. and Kobatake, Y. (1979) Spectral analysis of fluorescence of 8-anilino-naphthalene sulfonate in chemoreception with a white plasmodium of *Physarum polycephalum*: Evidence for conformational change in chemoreceptive membrane. *Biochim. Biophys. Acta*, 557, 199-207.
- 上田哲男、小畠陽之助 (1979) 単細胞生物の感覚と行動。化学工業 30, 254-259.
- 上田哲男、小畠陽之助 (1979) アメーバ型運動細胞の食作用と走化性 (太陽虫、アメーバ、粘菌), 膜 (Membrane) 4, 70-7.7.
- Ueda, T and Kobatake, Y. (1978) Discontinuous change in membrane activities of plasmodium of *Physarum polycephalum* caused by temperature variation: Effects on chemoreception and ameboid motility. *Cell Structure and Function* 3, 129-139.
- Ataka,M., Tsuchii,A., Ueda,T., Kurihara, K., and Kobatake, Y.(1978) Comparative studies on the reception of bitter stimuli in frog, Tetrahymena, slime mold and Nitella. *Comp. Biochem. Physiol.*, 61A, 109-115.
- Ueda, T. and Goetz von Olenhusen, K.(1978) Replacement of endoplasm with artificial media in plasmodial strands of *Physarum polycephalum*: Effects on contractility and morphology. *Exp. Cell Res.*, 116, 55-62.
- Ueda,T., Goetz von Olenhusen,K. and Wohlfarth-Bottermann,K.E.(1978) Reaction of the contractile apparatus in *Physarum* to injected Ca, ATP, ADP and 5'AMP. *Cytobiologie*, 18, 76-94.
- Terayama, K., Ueda, T., Kurihara, K. and Kobatake, Y. (1977) Effects of sugars on salt reception in true slime mold *Physarum polycephalum*: Physicochemical interpretation of interference in sugar and salt receptions. *J. Membrane Biol.*, 34, 369-381.
- Ueda, T. and Kobatake, Y. (1977) Hydrophobicity of biosurfaces as shown by chemoreceptive thresholds in Tetrahymena, *Physarum* and *Nitella*. *J. Membrane Biol.*, 34, 351-368.
- Ueda, T. and Kobatake, Y. (1977) Changes in membrane potential, zeta potential and chemotaxis of *Physarum polycephalum* in response to n-alcohols, n-aldehydes and n-fatty acids. *Cytobiologie*, 16, 16-26.
- 上田哲男、栗原堅三、小畠陽之助 (1977) 粘菌の行動。生物科学講座 第7巻、個体の行動 (大沢文夫他編)
朝倉書店 74-114.
- 上田哲男、小畠陽之助 (1977) 生体膜機能のコロイド化学的側面—テトラヒメナと粘菌変形体における化学受容と走化性。
表面 15, 265-273.
- 上田哲男、小畠陽之助 (1977) 生体膜とバイオセンサー。化学の領域 31, 753-763.

- Hato, M., Ueda, T., Kurihara, K., and Kobatake, Y. (1976) Changes in zeta potential and membrane potential of slime mold *Physarum polycephalum* in response to chemical stimuli. *Biochim. Biophys. Acta*, 426, 73–80.
- Ueda, T., Kurihara, K., and Kobatake, Y. (1976) Response of *Nitella* internodal cell to chemical stimulation: A model for olfactory receptor systems. *J. Membrane Biol.*, 25, 271–284.
- Ueda, T., Muratsugu, M., and Kobatake, Y. (1976) Functional asymmetry in excitable surface membrane of protoplasmic droplet isolated from *Nitella* as shown by photo-sensitized oxidation. *Cell Structure and Function*, 1, 155–164.
- Ueda, T., Muratsugu, M., Kurihara, K., and Kobatake, Y. (1976) Chemotaxis in *Physarum polycephalum*: Effects of chemicals on isometric tension of the plasmodial strand in relation to chemotactic movement. *Exp. Cell Res.*, 100, 337–344.
- Hato, M., Ueda, T., Kurihara, K. and Kobatake, Y. (1976) Phototaxis in true slime mold *Physarum polycephalum*. *Cell Structure and Function*, 1, 155–164.
- Kobatake, Y. and Ueda, T. (1976) Electrochemical processes in stimulus-response relationship in slime mold *Physarum polycephalum*. "Electrical phenomena at the biological membrane level" 11–21. Roux, E., ed., Elsevier Scientific Publishing Company, Amsterdam.
- Ueda, T., Muratsugu, M., Kurihara, K. and Kobatake, Y. (1975) Olfactory response in excitable protoplasmic droplet and internodal cell of *Nitella*. *Nature*, 253, 629–631.
- Ueda, T., Terayama, K., Kurihara, K. and Kobatake, Y. (1975) Threshold phenomena in chemoreception and taxis in slime mold *Physarum polycephalum*. *J. Gen. Physiol.*, 65, 223–234.
- Kurihara, K., Kamo, N., Ueda, T. and Kobatake, Y. (1975) Origin of receptor potential in chemoreception. "Olfaction and Taste" V, 77–82, Denton, D.A and Coghill, J.P., ed. Academic Press, New York.
- Kobatake, Y., Inoue, I. and Ueda, T. (1975) Physical chemistry of excitable membranes. *Advan. in Biophys.*, 7, 43–89. Kotani, M., ed., University of Tokyo Press, Tokyo.
- 小畠陽之助、栗原堅三、上田哲男 (1975) 膜現象の物理化学。現代生物科学講座、生命の物理化学的基礎II, (大井龍夫、佐藤了編) 岩波書店 337–394.
- 上田哲男、小畠陽之助 (1975) 生体膜の構造と機能—興奮性、化学受容と走化性, 科学 45, 92–100.
- 上田哲男、小畠陽之助 (1975) 膜—電解質系におけるダイナミックプロセス: 神経興奮現象の物理化学的機構 化学総説 7, 133–166.
- Ueda, T., Muratsugu, M., and Kobatake, Y. (1974) Roles of Ca, phospholipids and proteins in the excitable membrane of protoplasmic droplet isolated from *Nitella*. *Biochim. Biophys. Acta*, 373, 286–294.
- Ueda, T., Muratsugu, M., Inoue, I. and Kobatake, Y. (1974) Structural change of excitable membrane formed on the surface of protoplasmic drops isolated from *Nitella*. *J. Membrane Biol.*, 18, 177–186.
- 上田哲男、小畠陽之助 (1974) 生体膜の構造と機能—興奮性と特異性。繊維学会誌 30, 39–44.
- Ueda, T. and Kobatake, Y. (1973) Effective fixed charge density governing membrane phenomena. VI. Activity coefficients and mobilities of small ions in aqueous solutions of poly (styrene-sulfonic acid). *J. Phys. Chem.*, 77, 2995–2998.

- Inoue, I., Ueda, T., and Kobatake, Y. (1973) Structure of excitable membranes formed on the surface of protoplasmic drops isolated from Nitella. I: Conformation of surface membrane determined from the refractive index and from enzyme actions. *Biochim. Biophys. Acta*, 298, 653–663.
- Ueda, T., Inoue, I., and Kobatake, Y. (1973) Studies of excitable membrane formed on the surface of protoplasmic drops isolated from Nitella. II: Tension at the surface of protoplasmic drops. *Biochim. Biophys. Acta*, 318, 326–334.
- 上田哲男、小畠陽之助 (1973) 生体膜モデル—膜の相転移と興奮性、*化学増刊* 59, 17193.
- Ueda, T., Kamo, N., Ishida, N. and Kobatake, Y. (1972) Effective fixed charge density governing membrane phenomena. IV. Further study of activity coefficients and mobilities of small ions in charged membranes. *J. Phys. Chem.*, 76, 2447–2452.